



FIG. 1






FIG. 2






FIG. 3






FIG. 4

```
<?xml version="1.0" encoding="UTF-8" ?>
<schema targetNamespace="http://MsgStructure.xsd"
xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified">
  <element name="MsgStructure">
    <complexType>
      <attribute name="multiline" type="boolean"
default="false"/>
      <attribute name="eventStart" type="string"/>
      <attribute name="eventEnd" type="string"/>
      <attribute name="separator" type="string" default="\s+"/>
      <attribute name="msgType" type="MsgType"/>
      <attribute name="glueing" type="string" default="."/>
      <attribute name="matchContinue" type="string"/>
    </complexType>
  </element>
  <simpleType name="MsgType">
    <restriction base="NCName">
      <enumeration value="TEC_RECEPTION_MSG"/>
      <enumeration value="DB2_MSG"/>
      <enumeration value="WAS_ACTIVITY_LOG"/>
      <enumeration value="WAS_MSG"/>
      <enumeration value="UNKNOWN_MSG"/>
    </restriction>
  </simpleType>
</schema>
```

400



FIG. 5







FIG. 6





700

FIG. 7

```
<?xml version="1.0" encoding="UTF-8"?>
<schema targetNamespace="http://OutputStructure.xsd">
  <element name="OutputStructure">
    <complexType>
      <sequence>
        <element ref="Fields" maxOccurs="unbounded"/>
      </sequence>
      <attribute name="separator" use="required" type="string"/>
      <attribute name="hashing" use="optional" type="string"/>
    </complexType>
  </element>
  <element name="Fields">
    <complexType>
      <sequence>
        <element ref="GroupsMsgDataElement" minOccurs="0"
          maxOccurs="1"/>
        <element ref="RuleAttCreationTime"/>
        <element ref="RuleAttSeverity"/>
      </sequence>
      <attribute name="Match" type="string"/>
      <attribute name="Substitute" type="string"/>
      <attribute name="Split" type="string"/>
      <attribute name="Name" type="string"/>
      <attribute name="Description" type="string"/>
    </complexType>
  </element>
  <element name="RuleAttCreationTime">
    <complexType>
      <sequence>
        <element ref="Subs" minOccurs="1"
          maxOccurs="unbounded"/>
      </sequence>
      <attribute name="Value" type="string" use="optional"/>
    </complexType>
  </element>
  <element name="Subs">
    <complexType>
      <attribute name="Positions" type="string"/>
      <attribute name="Match" type="string"/>
      <attribute name="Substitute" type="string"/>
      <attribute name="TimeFormat" type="string"/>
    </complexType>
  </element>
</schema>
```



FIG. 8

